


To: KHanson@ldftribe.com[KHanson@ldftribe.com]; Saari, Christopher A - DNR[Christopher.Saari@wisconsin.gov]; Egan, Robert[egan.robert@epa.gov]
From: Dave Larsen
Sent: Tue 11/29/2016 7:09:59 PM
Subject: RE: Tower Standard Technical Group - October 27 Draft Call Notes removed.txt




Good to hear from you Kristen, it looks like you are responding to Chris Saari's e-mail from Monday. REI had sent out a more detailed e-mail this morning with recommendations for potential well placements with an install date starting as early as next week. Before I spend too much more time on trying to pull off all the necessary notifications and approvals, I wanted to see if you had any issues with proposed locations and trying to complete the well network between December 7-16? If you feel the proposed locations are reasonably acceptable, I can continue to prepare the notifications and approvals on my side. My cost approval request to the WDNR would likely need to be submitted by Friday to allow review and final approval for the following week. I am out of the office Wednesday through Friday but do have time today to begin the process. Your prompt response is greatly appreciated. Please also advise with regard to concerns or additional recommendations.

Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

From: Hanson, Kristen [mailto:KHanson@ldftribe.com]
Sent: Tuesday, November 29, 2016 12:58 PM
To: Saari, Christopher A - DNR <Christopher.Saari@wisconsin.gov>; Egan, Robert (egan.robert@epa.gov) <egan.robert@epa.gov>; Dave Larsen <dlarsen@reiengineering.com>
Subject: RE: Tower Standard Technical Group - October 27 Draft Call Notes

Good Afternoon,

I am not available Wednesday afternoon , but am available all day Friday.

From: Saari, Christopher A - DNR [mailto:Christopher.Saari@wisconsin.gov]
Sent: Monday, November 28, 2016 9:51 AM
To: Hanson, Kristen; Egan, Robert (egan.robert@epa.gov); Dave Larsen (dlarsen@reiengineering.com)
Subject: RE: Tower Standard Technical Group - October 27 Draft Call Notes

Good Morning:

Would you folks have some time later this week to have an abbreviated technical group discussion? If we want to get additional monitoring well installed yet this year, we should talk soon.

I have time on Wednesday afternoon (1-2 PM or 3- 4 PM) or on Friday. Please let me know if either of those options would work and I'll set up a call. Thanks!

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Chris Saari

Phone: (715) 685-2920

Christopher.Saari@Wi.gov

From: Saari, Christopher A - DNR

Sent: Tuesday, November 08, 2016 11:17 AM

To: KHanson@ldftribe.com; Egan, Robert (egan.robert@epa.gov); Dave Larsen (dlarsen@reiengineering.com)

Subject: Tower Standard Technical Group - October 27 Draft Call Notes

Good Morning:

Better late than never, attached are the notes that I took on our October 27 call. Please hit Reply All with your comments.

Also, I just realized that the November call is scheduled for Thanksgiving morning. Options include having the call on Wednesday the 23rd or moving it into December. Please share your thoughts on that, too.

Thanks!

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Chris Saari

Hydrogeologist – Remediation and Redevelopment Program

Wisconsin Department of Natural Resources

Phone: (715) 685-2920

Fax: (715) 685-2909
Christopher.Saari@Wi.gov

